

Rubber vacuum tubing

Natural rubber, red

reference	Ø _{inner} (mm)	Ø _{outer} (mm)	type	meters per roll	per roll	FYI: per meter
RUTT-004-002	4	10	for 4/5 hose	2		
RUTT-006-002	6	16	for 8/9 hose	2		
RUTT-008-002	8	16	for 9/10 hose	2		
RUTT-010-002	10	22	for 12/13 hose	2		
"Saving package"						
RUTT-004-010	4	10	for 4/5 hose	10		
RUTT-006-010	6	16	for 8/9 hose	10		
RUTT-008-010	8	16	for 9/10 hose	10		
RUTT-010-010	10	22	for 12/13 hose	10		

bb

**Silicone tubing, translucent**

For lab applications where liquids must be transferred. Service temperature from -60 up to +200 °C. Certificate of biocompatibility USP Class VI. Meets FDA and BgVV positive lists.

reference	Ø _{inner} (mm)	Ø _{outer} (mm)	meters per roll	per roll	FYI: per meter
SILT-001-005	1	3	5		
SILT-002-005	2	4	5		
SILT-004-005	4	8	5		
SILT-006-005	6	10	5		
SILT-008-005	8	12	5		
SILT-010-005	10	14	5		
SILT-012-005	12	16	5		
SILT-014-005	14	20	5		
SILT-016-005	16	20	5		
"Saving package"					
SILT-001-025	1	3	25		
SILT-002-025	2	4	25		
SILT-004-025	4	8	25		
SILT-006-025	6	10	25		
SILT-008-025	8	12	25		
SILT-010-025	10	14	25		
SILT-012-025	12	16	25		
SILT-014-025	14	20	25		
SILT-016-025	16	20	25		

bb

**PTFE tubing**

Excellent chemical and thermal resistance (from -200 to 260 °C)

reference	Ø _{inner} (mm)	Ø _{outer} (mm)	meters per roll	per roll	FYI: per meter
TEFT-002-005	2	4	5		
TEFT-004-005	4	6	5		
TEFT-006-005	6	8	5		
TEFT-008-005	8	10	5		
TEFT-010-005	10	12	5		

bb



bb

**Latex tubing**

Amber colour. For lab applications where liquids must be transferred

reference	Ø _{inner} (mm)	Ø _{outer} (mm)	type	meters per roll	per roll	FYI: per meter
LTXT-004-005	4,5	9	for 4/5 hose	5		
LTXT-007-005	7	10	for 8/9 hose	5		
LTXT-008-005	8	12	for 10 hose	5		
LTXT-010-005	10	14	for 12/13 hose	5		
LTXT-012-005	12	18	for 15/16 hose	5		
LTXT-014-005	14	20	for 16 hose	5		
"Saving package"						
LTXT-004-025	4,5	9	for 4/5 hose	25		
LTXT-007-025	7	10	for 8/9 hose	25		
LTXT-008-025	8	12	for 10 hose	25		
LTXT-010-030	10	14	for 12/13 hose	30		
LTXT-012-025	12	18	for 15/16 hose	25		
LTXT-014-020	14	20	for 16 hose	20		

clink

**Mohr's tubing clip**

Nickel plated steel. To keep a tubing completely closed or open

reference	type	l (mm)	pcs/pack	price/pack	average price/pc
MOTC-070-005	max. lenght: 10 mm	70	5		

clink

**Hose clamp**

Made of stainless steel

reference	Ø (mm)	pcs/pack	price/pack	average price/pc
HOSS-010-005	10-17	5		
HOSS-012-005	12-20	5		
HOSS-015-005	15-25	5		

astik's

**Laboratory tray**

Made of polypropylene. Autoclavable at 121°C

reference	l (mm)	w (mm)	h (mm)	pcs/pack	price/pack
TRYP-001-001	375	300	75	1	
TRYP-002-001	450	350	75	1	

astik's

**Laboratory tray for bottles**

Made of polypropylene. With handle. Autoclavable at 121°C

reference	h (mm)	l (mm)	w (mm)	pcs/pack	price/pack
TRYP-003-001	115	380	240	1	

Deep tray, PVC

For general laboratory use. Made of polyvinyl chloride (PVC). Stackable

reference	internal dimensions (length x width x height)	external dimensions (length x width x height)	pcs/pack	price/pack
TRYV-001-001	200 x 150 x 45 mm	245 x 195 x 50 mm	1	
TRYV-002-001	250 x 200 x 60 mm	305 x 250 x 60 mm	1	
TRYV-003-001	320 x 260 x 70 mm	385 x 325 x 75 mm	1	
TRYV-004-001	350 x 300 x 80 mm	420 x 375 x 85 mm	1	
TRYV-005-001	430 x 330 x 90 mm	505 x 405 x 95 mm	1	
TRYV-006-001	520 x 420 x 90 mm	600 x 495 x 100 mm	1	
TRYV-007-001	675 x 530 x 100 mm	765 x 620 x 110 mm	1	
TRYV-008-001	540 x 420 x 180 mm	635 x 515 x 190 mm	1	

Bow shape tongs for containers

Available in two models: suitable for beakers from 250 to 1500 ml and for flasks from 100 to 2000 ml. Both with cork lined jaws improving the insulation

reference	l (mm)	type	pcs/pack	price/pack	average price/pc
BKTW-300-002	300	for beakers (A)	2		
FLTW-250-002	250	for flasks (B)	2		

Crucible tongs

Made of stainless steel

reference	l (mm)	pcs/pack	price/pack	average price/pc
Straight model (A)				
CRTS-150-002	150	2		
CRTS-200-002	200	2		
CRTS-250-002	250	2		
CRTS-300-002	300	2		
CRTS-400-002	400	2		
CRTS-500-002	500	2		
Medium bow (B)				
CRTM-150-002	150	2		
CRTM-200-002	200	2		
CRTM-250-002	250	2		
CRTM-300-002	300	2		
CRTM-400-002	400	2		
CRTM-500-002	500	2		

Scoop for solids


Made of HDPE

reference	capacity	l _{total} (mm)	l _{useable} (mm)	pcs/pack	price/pack
SCOP-090-001	90 ml	180	125	1	
SCOP-250-001	250 ml	240	155	1	
SCOP-600-001	600 ml	300	195	1	
SCOP-1K1-001	1100 ml	360	240	1	


astik's



clink



clink



astik's



astik's

**Flat bottom measuring scoop for solids**

NEW

Made of polypropylene (PP)

reference	capacity	length (mm)	pcs/pack	price/pack	average price/pc
SCPP-010-012	10 ml	100	12		
SCPP-025-012	25 ml	135	12		
SCPP-050-012	50 ml	160	12		
SCPP-100-012	100 ml	200	6		
SCPP-250-001	250 ml	260	1		
SCPP-500-001	500 ml	315	1		
SCPP-1K0-001	1000 ml	385	1		

clink

**Stainless steel scoop for solids**

NEW

Made in SS 18/10. Hygienic, crevice free construction and fully welded to the handle. Excellent resistance to corrosion and rounded corners for easy cleaning.

reference	capacity	pcs/pack	price/pack
SCOS-060-001	60 ml	1	
SCOS-110-001	110 ml	1	
SCOS-260-001	260 ml	1	
SCOS-470-001	470 ml	1	
SCOS-860-001	860 ml	1	

clink

**Spatula with spoon**

Made of stainless steel

reference	l (mm)	w _{spatula} (mm)	pcs/pack	price/pack	average price/pc
SPSS-120-005	120	15	5		
SPSS-150-005	150	18	5		
SPSS-175-005	175	17	5		
SPSS-210-005	210	20	5		

astik's


**Spatula, polyamide**

NEW

Made of polyamide (PA), reinforced glass fiber. Available in two models: spatula-spatula or spatula-spoon.

reference	l (mm)	type	pcs/pack	price/pack	average price/pc
SPSA-D15-012	150	spatula-spatula	12		
SPSA-D18-012	180	spatula-spatula	12		
SPSA-S18-012	180	spatula-spoon	12		
SPSA-S21-012	210	spatula-spoon	12		

astik's

**Spatula with spoon, polypropylene**

Autoclavable at 121 °C

reference	l (mm)	w _{spatula} (mm)	pcs/pack	price/pack	average price/pc
SPSP-150-005	150	21	5		
SPSP-200-005	200	22	5		

NEW Porcelain spatula with spoon

Made of porcelain withstands temperatures up to 1150 °C. Glazed

reference	l (mm)	pcs/pack	price/pack
PSWS-123-001	123	1	
PSWS-165-001	165	1	
PSWS-195-001	195	1	

Laboratory spatula

Made of stainless steel

reference	l (mm)	w _{spatula} (mm)	pcs/pack	price/pack	average price/pc
Doubled curved-end (A)					
SPDS-130-005	130	11	5		
SPDS-150-005	150	11	5		
SPDS-180-005	180	11	5		
SPDS-210-005	210	11	5		
Chattaway (B)					
SPCS-150-005	150	6	5		
SPCS-200-005	200	7	5		
Trulla (C)					
SPTS-001-005	170	22	5		

Laboratory micro spatula

Made of stainless steel

reference	l (mm)	w _{spatula} (mm)	pcs/pack	price/pack	average price/pc
With spoon (A)					
SPNS-150-005	150	4	5		
SPNS-200-005	200	4	5		
Chattaway (B)					
SPMS-100-005	100	3,5	5		
SPMS-150-005	150	4	5		
SPMS-200-005	200	4	5		

Spatula with wooden handle

Blade made of stainless steel

reference	blade (mm)	handle (mm)	pcs/pack	price/pack
SPWS-100-001	100	100	1	
SPWS-150-001	150	100	1	
SPWS-200-001	200	100	1	
SPWS-250-001	250	100	1	
SPWS-300-001	300	100	1	

Scissors

Made of stainless steel


reference	l (mm)	type	pcs/pack	price/pack
SCIS-14A-001	145	dissection straight, pointed/pointed (A)	1	
SCIS-14B-001	145	dissection straight, pointed/blunt (B)	1	
SCIS-14C-001	145	dissection straight, blunt/blunt (C)	1	
SCIS-115-001	115	microscopy straight, pointed/pointed (D)	1	
SCIS-220-001	220	for general use, with PVC handle (E)	1	

HDN
ceramics

clink




clink



clink



clink



clink



clink



clink



clink



clink

**Dissection needle**

Stainless steel needle with plastic handle

reference	type	pcs/pack	price/pack	average price/pc
DISS-001-005	pointed needle (A)	5		
DISS-002-005	with blade (B)	5		

Disposable scalpel

Single packed, stainless steel blade fitted on plastic handle

reference	type	pcs/pack	price/pack	average price/pc
SCAS-023-010	size 23, sterile	10		

Laboratory forceps

Made of stainless steel

reference	l (mm)	type	pcs/pack	price/pack	average price/pc
FORS-001-002	125	straight end (A)	2		
FORS-002-002	120	fine tips, spring (B)	2		
FORS-003-002	136	fine tips (C)	2		
FORS-004-002	110	wide end (D)	2		
FORS-006-002	115	for cover-glasses and membranes (E)	2		
FORS-007-002	120	fine tips, bent (F)	2		

Chain clamp

For beakers and other big-diameter flasks. With stainless steel chain and spring

reference	Ø (mm)	pcs/pack	price/pack
CHAS-001-001	80 - 150	1	

Retort clamp

Can hold 15 to 65 mm diameter objects

reference	l (mm)	type	pcs/pack	price/pack
RCL2-001-001	245	2 cork-lined prongs (A)	1	
RCL3-001-001	260	3 rubber sleeved prongs (B)	1	
RCL4-001-001	245	4 cork-lined prongs (C)	1	

Retort clamp four prongs, Premium Line

Made of die-cast aluminum alloy. Opening from 0 to 80 mm

reference	l (mm)	type	pcs/pack	price/pack
RCP4-001-001	230	4 cork-lined prongs	1	

NEW

NEW Retort clamp, Premium Line

Made of antiaacid and anticorrosive die-cast aluminum alloy

reference	Ø (mm)	l (mm)	type	pcs/pack	price/pack
RCP2-001-001	30 - 50	200	2 PVC sleeved prongs	1	
RCP2-002-001	50 - 80	220	2 PVC sleeved prongs	1	
RCP2-003-001	30 - 50	200	2 cork-lined prongs	1	
RCP2-004-001	50 - 80	220	2 cork-lined prongs	1	

Three finger double adjust clamp

PVC coated prongs

reference	Ø (mm)	type	pcs/pack	price/pack
Without bosshead (A)				
RCD3-035-001	0 - 35	small	1	
RCD3-060-001	0 - 60	large	1	
With bosshead (B)				
RDS3-035-001	0 - 35	small	1	
RDS3-060-001	0 - 60	large	1	

NEW Retort clamp three prongs, Premium Line

Made of antiaacid and anticorrosive light alloy

reference	Ø (mm)	l (mm)	type	pcs/pack	price/pack
Without bosshead (A)					
RPD3-025-001	10 - 25	170	PVC sleeved prongs	1	
RPD3-045-001	25 - 45	225	cork-lined prongs	1	
With bosshead (B)					
RPS3-025-001	10 - 25	170	PVC sleeved prongs	1	
RPS3-045-001	25 - 45	225	cork-lined prongs	1	

Thermometer extension clamp

To hold thermometers, burettes and small diameter objects

reference	l (mm)	type	pcs/pack	price/pack
THCL-001-001	200	without bosshead (A)	1	
THCS-001-001	200	with bosshead (B)	1	

Open ring retort support with bosshead


Made of chromium plated steel

reference	Ø (mm)	pcs/pack	price/pack
RROS-060-001	60	1	
RROS-080-001	80	1	
RROS-100-001	100	1	
RROS-120-001	120	1	

clink




clink



clink



clink



clink



clink

**Closed retort ring with bosshead**

Made of stout wire

reference	Ø (mm)	pcs/pack	price/pack	average price/pc
RTRS-050-002	50	2		
RTRS-075-002	75	2		
RTRS-100-002	100	2		
RTRS-125-002	125	2		
RTRS-150-002	150	2		

clink

**Retort stand**

Heavy metal sheet with rubber lining. Includes a chromium plated rod with diameter and height shown below

reference	l _{base} (mm)	w _{base} (mm)	base weight (g)	Ø _{rod} (mm)	h _{rod} (mm)	pcs/pack	price/pack
RTSM-160-001	160	100	670	10	500	1	
RTSM-200-001	200	125	1220	10	500	1	
RTSM-250-001	250	160	1450	10	500	1	
RTSM-300-001	310	200	1600	10	700	1	

clink

**Retort stand**

Metal sheet. Includes an aluminium rod with diameter and height shown below

reference	l _{base} (mm)	w _{base} (mm)	base weight (g)	Ø _{rod} (mm)	h _{rod} (mm)	pcs/pack	price/pack
RTMM-175-001	175	100	475	9	450	1	
RTMM-225-001	225	125	775	10	500	1	
RTMM-250-001	250	150	970	10	600	1	
RTMM-300-001	300	150	1165	10	700	1	

clink

**Retort stand**

Cast iron. Includes a chromium plated rod 600 mm height

reference	l _{base} (mm)	w _{base} (mm)	base weight (g)	Ø _{rod} (mm)	h _{rod} (mm)	pcs/pack	price/pack
RTCM-200-001	200	140	860	10	600	1	

clink

**Retort Stand, Premium Line**

Made of steel powder coated Epoxy acid proof. Includes an aluminium rod with diameter and height shown below

reference	l _{base} (mm)	w _{base} (mm)	base weight (g)	Ø _{rod} (mm)	h _{rod} (mm)	pcs/pack	price/pack
RTSP-200-001	200	130	2500	10	500	1	
RTSP-250-001	250	160	4000	12	600	1	

clink

**Tripod stand**

Cast iron stand. Includes a chromium plated rod 600 mm height

reference	l _{base} (mm)	base weight (g)	Ø _{rod} (mm)	h _{rod} (mm)	pcs/pack	price/pack
TSTM-135-001	135	1700	10	600	1	

Tripod stand, Premium Line

Painted cast iron stand. Includes an aluminium rod 600 mm height

reference	l_{base} (mm)	base weight (g)	\varnothing_{rod} (mm)	h_{rod} (mm)	pcs/pack	price/pack
TSTP-140-001	140	2500	12	600	1	

Retort stand, "H" shape

With a heavy metal stand, 3 vertical rods diameter (\varnothing) and height (h), 2 horizontal rods diameter (\varnothing) and length (l) shown below and 6 heads

reference	\varnothing_{rod} (mm)	h (mm)	l (mm)	w (mm)	base weight (g)	pcs/pack	price/pack
HSSM-010-001	10	800	500	250	6500	1	
HSSM-012-001	12	800	500	250	6250	1	

Bosshead, Fisher type

Suitable for rod diameters from 9 to 16 mm

reference	type	pcs/pack	price/pack	average price/pc
BOSF-001-004	Fisher	4		

Bosshead, Fisher type, Premium Line

Suitable for rod diameters up to 16 mm

reference	type	pcs/pack	price/pack
BOFP-001-001	Fisher	1	

Bosshead, squared

Suitable for rod diameters up to 16 mm

reference	type	pcs/pack	price/pack	average price/pc
BOSS-001-004	square	4		

Bosshead, high strength

Designed to withstand high loads. Suitable for rod diameters up to 19 mm

reference	type	pcs/pack	price/pack
BOSH-001-001	bosshead	1	

Tripod stand circular top

Cast iron top with zinc plated legs

reference	\varnothing (mm)	h (mm)	pcs/pack	price/pack
TRSC-175-001	125	175	1	
TRSC-200-001	125	200	1	

clink



clink



clink



clink



clink



clink



clink



clink

**Ceramic plate, iron wire with ceramic center**

Without asbestos

reference	∅ _{ceramic} (mm)	l (mm)	w (mm)	pcs/pack	price/pack
CPLS-100-001	70	100	100	1	
CPLS-125-001	85	125	125	1	
CPLS-150-001	100	150	150	1	
CPLS-200-001	147	200	200	1	

clink

**Laboratory jack**

Made of aluminum

reference	l (mm)	w (mm)	h _{max.} (mm)	max. weight	pcs/pack	price/pack
JACA-100-001	100	100	140	30 kg	1	
JACA-150-001	150	150	280	60 kg	1	
JACA-200-001	200	200	290	60 kg	1	

clink

**Glass tube cutter**

Zinc alloy with nickel-chromium plated, with hardened steel cutting wheel

reference	type	pcs/pack	price/pack
GTCM-030-001	for up to 30 mm diameter tubes	1	

bb

Stirring rod

Available in three different materials

reference	∅ (mm)	l (mm)	pcs/pack	price/pack	average price/pc
Glass stirring rod with round ends (A)					
STRN-150-005	7	150	5		
STRN-200-005	7	200	5		
STRN-300-005	7	300	5		
STRN-400-005	9	400	5		
PTFE coated steel core (B)					
STRT-300-001	6	300	1		
Policeman stirring rod, polypropylene (autoclavable at 121 °C) (C)					
STRP-245-012	6	245	12		

